
### **TD570B**



If you have any missing parts or questions please email info@transdecointl.com or call 909-606-3833 Mon - Fri 9 AM to 5 PM pacific time. Please have your product model number available.



NO.	DESCRIPTION	QTY
Α	© M6x8mm	2
В	M6x15mm	7
С	M8x42mm	3
D	M4x15mm	4
Е	Ø25/Ø8.2x2.0	3
F	## + ## + #M14	1set
G	<b>♀</b> M6x15mm	2
Н	Ø25	4
I	Ø23xM6x18mm	2
J	Ø58xM8	4


NO.	DESCRIPTION	QTY
K		4
L	O <sub>E</sub>	1
М		1
N		1
0		2
Р		1
Q		1

#### TV Mounting Hardware

NO.	DESCRIPTION		QTY
S1		M4x12mm	4
S2		M5x12mm	4
S3		M6x12mm	4
S4		M8x12mm	4
S5	0	M4x32mm	4
S6	(a) production	M5x32mm	4
<b>S7</b>		M6x32mm	4
S8		M8x32mm	4
S9	<b>o</b>	Ø19xØ6.2	4
S10	0	Ø22xØ8.2	4
S11	0	Ø14x14mm	4
S12	0	Ø25x13mm	4
S13	0	Ø25x2mm	4

#### STEP 1

- Install the adjustable feet or caster of your choice to the bottom plate.




#### STEP 2

- Attach the main pole to the bottom plate as shown.

#### STEP 3

- Install the glass shelf support(Part M)as shown;
- Level the glass shelf support;
- Install the adjustable knobs(Part G)





### STEP 4

 Install the mounting bracket(Part N)as shown and level the mounting bracket.

### STEP 5


- Install the wire management clips(Part H).






## STEP 6

- Install the glass shelf as shown.
- Adjust the knob(Part G)to fully support the glass if necessary.



### STEP 7

- Attach the TV mounting bracket to the TV;
- \* Choose only one screw(S5-S8),one washer(S9-S10), and one spacer(S11-S13)that fit your TC. Keep all other parts for future use. Secure the mounting bracket on the back of the TV.



# STEP 8

- Hang the TV to the main mounting bracket.

# STEP 9

- Install the safety bolts to the top anchors.There is no bolt for lower anchors

